



CAPT-AIR®

Vacuum Tubing and Fittings



for Vacuum Cleaning Systems

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Standard Stock Tubing


Part No.	Size	Gauge	Carbon Steel	Galvanized Steel	Stainless Steel	Aluminum
			Stock Length	Stock Length	Stock Length	Stock Length
MST-2116	2 1/8"	16	20 ft.	20 ft.	20 ft.	20 ft.
MST-2516	2 1/2"	16	20 ft.	20 ft.	20 ft.	20 ft.
MST-3016	3"	16	20 ft.	20 ft.	20 ft.	20 ft.
MST-3516	3 1/2"	16	20 ft.	20 ft.	20 ft.	20 ft.
MST-4016	4"	16	20 ft.	20 ft.	20 ft.	20 ft.
MST-5014	5"	14	20 ft.	20 ft.	20 ft.	20 ft.
MST-6014	6"	14	20 ft.	20 ft.	20 ft.	20 ft.
MST-8014	8"	14	20 ft.	20 ft.	20 ft.	20 ft.
MST-9012	10"	†	20 ft.	20 ft.	20 ft.	20 ft.
MST-9212	12"	†	20 ft.	20 ft.	20 ft.	20 ft.

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:

Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Standard Radius 45° Elbows

Part No.	Size	A-o.d.	Gauge	B	C	D*	E-i.d.
MSR-2145	2 1/8"	2 1/8"	16	5"	4 1/16"	1 1/4"	2 1/8"
MSR-2545	2 1/2"	2 1/2"	16	6"	4 1/2"	1 1/4"	2 1/2"
MSR-3045	3"	3"	16	7 1/2"	5 1/8"	1 1/4"	3"
MSR-3545	3 1/2"	3 1/2"	16	8 3/4"	5 5/8"	1 1/4"	3 1/2"
MSR-4045	4"	4"	16	10"	6 1/8"	1 1/4"	4"
MSR-5045	5"	5"	14	12 1/2"	7 13/16"	1 1/2"	5"
MSR-6045	6"	6"	14	15"	9 15/32"	1 1/2"	6"
MSR-8045	8"	8"	14	20"	12 17/32"	—	—
MSR-9045	10"	10"	†	32"	18 1/2"	—	—
MSR-9245	12"	12"	†	36"	21 5/32"	—	—



WHEN ORDERING, SPECIFY TYPE OF MATERIAL:

Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Bell or Straight Ends - 2 1/8" through 6". Straight ends only - 8" and up.

* Segmented (3-piece miter)

† Consult factory


D* = expanded length

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Standard Radius 90° Elbows

Part No.	Size	A-o.d.	Gauge	B	C	D*	E-i.d.
MSR-2190	2 1/8"	2 1/8"	16	5"	7"	1 1/4"	2 1/8"
MSR-2590	2 1/2"	2 1/2"	16	6"	8"	1 1/4"	2 1/2"
MSR-3090	3"	3"	16	7 1/2"	9 1/2"	1 1/4"	3"
MSR-3590	3 1/2"	3 1/2"	16	8 3/4"	10 3/4"	1 1/4"	3 1/2"
MSR-4090	4"	4"	16	10"	12"	1 1/4"	4"
MSR-5090	5"	5"	14	12 1/2"	15 1/8"	1 1/2"	5"
MSR-6090	6"	6"	14	15"	18 1/4"	1 1/2"	6"
MSR-8090	8"	8"	14	20"	24 1/4"	—	—
MSR-9090	10"	10"	†	32"	37 1/4"	—	—
MSR-9290	12"	12"	†	36"	42 1/4"	—	—



WHEN ORDERING, SPECIFY TYPE OF MATERIAL:

Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Bell or Straight Ends – 2 1/8" through 6". Straight ends only – 8" and up.


* Segmented (3-piece miter)

† Consult factory

D* = expanded length

Short Radius 45° Elbows

Part No.	Size	A-o.d.	Gauge	B	C	D*	E-i.d.
MSH-3045	3"	3"	16	4 1/2"	3 7/8"	1 1/4"	3"
MSH-4045	4"	4"	16	6"	4 1/2"	1 1/4"	4"
MSH-5045	5"	5"	14	7 1/2"	5 3/4"	1 1/2"	5"
MSH-6045	6"	6"	14	9"	7"	1 1/2"	6"
MSH-8045	8"	8"	14	12"	10 1/16"	—	—



WHEN ORDERING, SPECIFY TYPE OF MATERIAL:


Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Bell or Straight Ends – 3" through 6". Straight ends only – 8".

D* = expanded length

Short Radius 90° Elbows

Part No.	Size	A-o.d.	Gauge	B	C	D*	E-i.d.
MSH-3090	3"	3"	16	4 1/2"	6 1/2"	1 1/4"	3"
MSH-4090	4"	4"	16	6"	8"	1 1/4"	4"
MSH-5090	5"	5"	14	7 1/2"	10 1/8"	1 1/2"	5"
MSH-6090	6"	6"	14	9"	12 1/4"	1 1/2"	6"
MSH-8090	8"	8"	14	12"	18 1/4"	—	—



WHEN ORDERING, SPECIFY TYPE OF MATERIAL:

Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum


Bell or Straight Ends – 3" through 6". Straight ends only – 8".

D* = expanded length

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Standard 45° Y's



Part No.	Size	A-o.d.	Gauge	C	D	E-i.d.	F-o.d.	Gauge	G-i.d.	H	K	L
MSY-2121	2 1/8"	2 1/8"	16	9 3/32"	1 1/4"	2 1/8"	2 1/8"	16	2 1/8"	4 11/16"	9 1/2"	1 1/4"
MSY-2521	2 1/2" x 2 1/8"	2 1/2"	16	9 9/32"	1 1/4"	2 1/2"	2 1/8"	16	2 1/8"	4 7/8"	10"	1 1/4"
MSY-2525	2 1/2"	2 1/2"	16	10 5/32"	1 1/4"	2 1/2"	2 1/2"	16	2 1/2"	5 9/16"	10"	1 1/4"
MSY-3021	3" x 2 1/8"	3"	16	9 17/32"	1 1/4"	3"	2 1/8"	16	2 1/8"	5 1/8"	10 1/2"	1 1/4"
MSY-3025	3" x 2 1/2"	3"	16	10 13/32"	1 1/4"	3"	2 1/2"	16	2 1/2"	5 7/8"	10 1/2"	1 1/4"
MSY-3030	3"	3"	16	11 19/32"	1 1/4"	3"	3"	16	3"	5 29/32"	11 1/2"	1 1/4"
MSY-3521	3 1/2" x 2 1/8"	3 1/2"	16	9 25/32"	1 1/4"	3 1/2"	2 1/8"	16	2 1/8"	5 3/8"	11"	1 1/4"
MSY-3525	3 1/2" x 2 1/2"	3 1/2"	16	10 21/32"	1 1/4"	3 1/2"	2 1/2"	16	2 1/2"	5 11/16"	11"	1 1/4"
MSY-3530	3 1/2" x 3"	3 1/2"	16	11 27/32"	1 1/4"	3 1/2"	3"	16	3"	6 5/32"	13"	1 1/4"
MSY-3535	3 1/2"	3 1/2"	16	12 31/32"	1 1/4"	3 1/2"	3 1/2"	16	3 1/2"	6 9/16"	13"	1 1/4"
MSY-4021	4" x 2 1/8"	4"	16	10 1/32"	1 1/4"	4"	2 1/8"	16	2 1/8"	5 5/8"	12"	1 1/4"
MSY-4025	4" x 2 1/2"	4"	16	10 29/32"	1 1/4"	4"	2 1/2"	16	2 1/2"	5 15/16"	12"	1 1/4"
MSY-4030	4" x 3"	4"	16	12 3/32"	1 1/4"	4"	3"	16	3"	6 13/32"	12"	1 1/4"
MSY-4035	4" x 3 1/2"	4"	16	13 7/32"	1 1/4"	4"	3 1/2"	16	3 1/2"	6 19/16"	14"	1 1/4"
MSY-4040	4"	4"	16	14 11/32"	1 1/4"	4"	4"	16	4"	7 1/4"	14"	1 1/4"
MSY-5021	5" x 2 1/8"	5"	14	10 17/32"	1 1/2"	5"	2 1/8"	16	2 1/8"	6 1/8"	13"	1 1/4"
MSY-5025	5" x 2 1/2"	5"	14	11 13/32"	1 1/2"	5"	2 1/2"	16	2 1/2"	6 7/16"	13"	1 1/4"
MSY-5030	5" x 3"	5"	14	12 19/32"	1 1/2"	5"	3"	16	3"	6 29/32"	15 1/2"	1 1/4"
MSY-5035	5" x 3 1/2"	5"	14	13 23/32"	1 1/2"	5"	3 1/2"	16	3 1/2"	7 7/16"	15 1/2"	1 1/4"
MSY-5040	5" x 4"	5"	14	14 27/32"	1 1/2"	5"	4"	16	4"	7 3/4"	15 1/2"	1 1/4"
MSY-5050	5"	5"	14	17 9/16"	1 1/2"	5"	5"	14	5"	9"	18 1/2"	1 1/2"
MSY-6021	6" x 2 1/8"	6"	14	11 1/32"	1 1/2"	6"	2 1/8"	16	2 1/8"	6 5/8"	15"	1 1/4"
MSY-6025	6" x 2 1/2"	6"	14	11 29/32"	1 1/2"	6"	2 1/2"	16	2 1/2"	6 15/16"	15"	1 1/4"
MSY-6030	6" x 3"	6"	14	13 3/32"	1 1/2"	6"	3"	16	3"	7 13/32"	15"	1 1/4"
MSY-6035	6" x 3 1/2"	6"	14	14 7/32"	1 1/2"	6"	3 1/2"	16	3 1/2"	7 19/16"	17"	1 1/4"
MSY-6040	6" x 4"	6"	14	15 11/32"	1 1/2"	6"	4"	16	4"	8 1/4"	17"	1 1/4"
MSY-6050	6" x 5"	6"	14	18 1/16"	1 1/2"	6"	5"	14	5"	9 1/2"	21"	1 1/2"
MSY-6060	6"	6"	14	20 25/32"	1 1/2"	6"	6"	14	6"	10 25/32"	21"	1 1/2"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:


Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Bell or Straight Ends - 2 1/8" through 6". Straight ends only - 8" and up.

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Standard 45° Y's *continued*



Part No.	Size	A-o.d.	Gauge	C	F-o.d.	Gauge	G-i.d.	H	K	L
MSY-8021	8" x 2 1/8"	8"	14	12 1/32"	2 1/8"	16	2 1/8"	7 5/8"	18"	1 1/4"
MSY-8025	8" x 2 1/2"	8"	14	12 29/32"	2 1/2"	16	2 1/2"	7 15/16"	18"	1 1/4"
MSY-8030	8" x 3"	8"	14	14 9/32"	3"	16	3"	8 13/16"	18"	1 1/4"
MSY-8035	8" x 3 1/2"	8"	14	15 7/32"	3 1/2"	16	3 1/2"	8 13/16"	21"	1 1/4"
MSY-8040	8" x 4"	8"	14	16 11/32"	4"	16	4"	9 1/4"	21"	1 1/4"
MSY-8050	8" x 5"	8"	14	19 1/16"	5"	14	5"	10 1/2"	24"	1 1/2"
MSY-8060	8" x 6"	8"	14	21 25/32"	6"	14	6"	11 25/32"	24"	1 1/2"
MSY-8080	8"	8"	14	27"	8"	14	—	14 5/32"	29"	—

MSY-9021	10" x 2 1/8"	10"	†	13 1/32"	2 1/8"	16	2 1/8"	8 5/8"	21"	1 1/4"
MSY-9025	10" x 2 1/2"	10"	†	13 29/32"	2 1/2"	16	2 1/2"	8 15/16"	21"	1 1/4"
MSY-9030	10" x 3"	10"	†	15 5/32"	3"	16	3"	9 13/32"	21"	1 1/4"
MSY-9035	10" x 3 1/2"	10"	†	16 7/32"	3 1/2"	16	3 1/2"	9 13/16"	24"	1 1/4"
MSY-9040	10" x 4"	10"	†	17 11/32"	4"	16	4"	10 1/4"	24"	1 1/4"
MSY-9050	10" x 5"	10"	†	20 1/16"	5"	14	5"	11 1/2"	24"	1 1/2"
MSY-9060	10" x 6"	10"	†	22 3/4"	6"	14	6"	12 25/32"	28"	1 1/2"
MSY-9080	10" x 8"	10"	†	28"	8"	14	—	15 5/32"	32"	—
MSY-9090	10"	10"	†	34 11/16"	10"	12	—	18 5/8"	36"	—

MSY-9221	12" x 2 1/8"	12"	†	14 1/32"	2 1/8"	16	2 1/8"	9 5/8"	24"	1 1/4"
MSY-9225	12" x 2 1/2"	12"	†	14 29/32"	2 1/2"	16	2 1/2"	9 15/16"	24"	1 1/4"
MSY-9230	12" x 3"	12"	†	16 9/32"	3"	16	3"	10 13/32"	24"	1 1/4"
MSY-9235	12" x 3 1/2"	12"	†	17 7/32"	3 1/2"	16	3 1/2"	10 13/16"	27"	1 1/4"
MSY-9240	12" x 4"	12"	†	18 11/32"	4"	16	4"	11 1/4"	27"	1 1/4"
MSY-9250	12" x 5"	12"	†	21 1/16"	5"	14	5"	12 1/2"	27"	1 1/2"
MSY-9260	12" x 6"	12"	†	23 3/4"	6"	14	6"	13 25/32"	31"	1 1/2"
MSY-9280	12" x 8"	12"	†	29"	8"	14	—	16 5/32"	35"	—
MSY-9290	12" x 10"	12"	†	35 11/16"	10"	12	—	19 5/8"	39"	—
MSY-9292	12"	12"	†	40 3/4"	12"	12	—	21 27/32"	43"	—

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:

Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum


Bell or Straight Ends – 2 1/8" through 6". Straight ends only – 8" and up.

† Consult factory

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Standard 90° TY's



Part No.	Size	A-o.d.	Gauge	B	C	D	E-i.d.	F-o.d.	Gauge	G-i.d.	H	K	L
MTY-2121	2 1/8"	2 1/8"	16	5"	9 5/32"	1 1/4"	2 1/8"	2 1/8"	16	2 1/8"	8 13/16"	9 1/2"	1 1/4"
MTY-2521	2 1/2" x 2 1/8"	2 1/2"	16	5"	9 11/32"	1 1/4"	2 1/2"	2 1/8"	16	2 1/8"	9"	10"	1 1/4"
MTY-2525	2 1/2"	2 1/2"	16	6"	10 1/2"	1 1/4"	2 1/2"	2 1/2"	16	2 1/2"	10 1/32"	10"	1 1/4"
MTY-3021	3" x 2 1/8"	3"	16	5"	9 19/32"	1 1/4"	3"	2 1/8"	16	2 1/8"	9 1/4"	10 1/2"	1 1/4"
MTY-3025	3" x 2 1/2"	3"	16	6"	10 3/4"	1 1/4"	3"	2 1/2"	16	2 1/2"	10 9/32"	10 1/2"	1 1/4"
MTY-3030	3"	3"	16	7 1/2"	12 3/8"	1 1/4"	3"	3"	16	3"	11 25/32"	11 1/2"	1 1/4"
MTY-3521	3 1/2" x 2 1/8"	3 1/2"	16	5"	9 27/32"	1 1/4"	3 1/2"	2 1/8"	16	2 1/8"	9 1/2"	11"	1 1/4"
MTY-3525	3 1/2" x 2 1/2"	3 1/2"	16	6"	11"	1 1/4"	3 1/2"	2 1/2"	16	2 1/2"	10 17/32"	11"	1 1/4"
MTY-3530	3 1/2" x 3"	3 1/2"	16	7 1/2"	12 5/8"	1 1/4"	3 1/2"	3"	16	3"	12 1/8"	13"	1 1/4"
MTY-3535	3 1/2"	3 1/2"	16	8 3/4"	14 1/8"	1 1/4"	3 1/2"	3 1/2"	16	3 1/2"	13 11/32"	13"	1 1/4"
MTY-4021	4" x 2 1/8"	4"	16	5"	10 3/32"	1 1/4"	4"	2 1/8"	16	2 1/8"	9 3/4"	12"	1 1/4"
MTY-4025	4" x 2 1/2"	4"	16	6"	11 1/4"	1 1/4"	4"	2 1/2"	16	2 1/2"	10 25/32"	12"	1 1/4"
MTY-4030	4" x 3"	4"	16	7 1/2"	12 7/8"	1 1/4"	4"	3"	16	3"	12 9/32"	12"	1 1/4"
MTY-4035	4" x 3 1/2"	4"	16	8 3/4"	14 3/8"	1 1/4"	4"	3 1/2"	16	3 1/2"	13 19/32"	14"	1 1/4"
MTY-4040	4"	4"	16	10"	15 7/8"	1 1/4"	4"	4"	16	4"	14 29/32"	14"	1 1/4"
MTY-5021	5" x 2 1/8"	5"	14	5"	10 19/32"	1 1/2"	5"	2 1/8"	16	2 1/8"	10 1/4"	13"	1 1/4"
MTY-5025	5" x 2 1/2"	5"	14	6"	11 3/4"	1 1/2"	5"	2 1/2"	16	2 1/2"	11 9/32"	13"	1 1/4"
MTY-5030	5" x 3"	5"	14	7 1/2"	13 3/8"	1 1/2"	5"	3"	16	3"	12 25/32"	15 1/2"	1 1/4"
MTY-5035	5" x 3 1/2"	5"	14	8 3/4"	14 7/8"	1 1/2"	5"	3 1/2"	16	3 1/2"	14 3/32"	15 1/2"	1 1/4"
MTY-5040	5" x 4"	5"	14	10"	16 5/8"	1 1/2"	5"	4"	16	4"	15 13/32"	15 1/2"	1 1/4"
MTY-5050	5"	5"	14	12 1/2"	19 3/8"	1 1/2"	5"	5"	14	5"	18 5/8"	18 1/2"	1 1/2"
MTY-6021	6" x 2 1/8"	6"	14	5"	11 3/32"	1 1/2"	6"	2 1/8"	16	2 1/8"	10 3/4"	15"	1 1/4"
MTY-6025	6" x 2 1/2"	6"	14	6"	12 1/4"	1 1/2"	6"	2 1/2"	16	2 1/2"	11 25/32"	15"	1 1/4"
MTY-6030	6" x 3"	6"	14	7 1/2"	13 7/8"	1 1/2"	6"	3"	16	3"	13 9/32"	15"	1 1/4"
MTY-6035	6" x 3 1/2"	6"	14	8 3/4"	15 3/8"	1 1/2"	6"	3 1/2"	16	3 1/2"	14 19/32"	17"	1 1/4"
MTY-6040	6" x 4"	6"	14	10"	16 7/8"	1 1/2"	6"	4"	16	4"	15 29/32"	17"	1 1/4"
MTY-6050	6" x 5"	6"	14	12 1/2"	19 7/8"	1 1/2"	6"	5"	14	5"	19 1/8"	21"	1 1/2"
MTY-6060	6"	6"	14	15"	22 7/8"	1 1/2"	6"	6"	14	6"	22 11/32"	21"	1 1/2"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:


Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Bell or Straight Ends - 2 1/8" through 6". Straight ends only - 6" and up.

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Standard 90° TY's *continued*



Part No.	Size	A-o.d.	Gauge	B	C	F-o.d.	Gauge	G-i.d.	H	K	L
MTY-8021	8" x 2 1/8"	8"	14	5"	12 3/32"	2 1/8"	16	2 1/8"	11 3/4"	18"	1 1/4"
MTY-8025	8" x 2 1/2"	8"	14	6"	13 1/4"	2 1/2"	16	2 1/2"	12 25/32"	18"	1 1/4"
MTY-8030	8" x 3"	8"	14	7 1/2"	14 7/8"	3"	16	3"	14 9/32"	18"	1 1/4"
MTY-8035	8" x 3 1/2"	8"	14	8 3/4"	16 3/8"	3 1/2"	16	3 1/2"	15 19/32"	21"	1 1/4"
MTY-8040	8" x 4"	8"	14	10"	17 7/8"	4"	16	4"	16 29/32"	21"	1 1/4"
MTY-8050	8" x 5"	8"	14	12 1/2"	20 7/8"	5"	14	5"	20 1/8"	24"	1 1/2"
MTY-8060	8" x 6"	8"	14	15"	23 7/8"	6"	14	6"	23 11/32"	24"	1 1/2"
MTY-8080	8"	8"	14	20"	29 7/8"	8"	14	—	29 11/32"	29"	—

MTY-9021	10" x 2 1/8"	10"	†	5"	13 3/32"	2 1/8"	16	2 1/8"	12 3/4"	21"	1 1/4"
MTY-9025	10" x 2 1/2"	10"	†	6"	14 1/4"	2 1/2"	16	2 1/2"	13 25/32"	21"	1 1/4"
MTY-9030	10" x 3"	10"	†	7 1/2"	15 7/8"	3"	16	3"	15 9/32"	21"	1 1/4"
MTY-9035	10" x 3 1/2"	10"	†	8 3/4"	17 9/8"	3 1/2"	16	3 1/2"	16 19/32"	24"	1 1/4"
MTY-9040	10" x 4"	10"	†	10"	18 7/8"	4"	16	4"	17 29/32"	24"	1 1/4"
MTY-9050	10" x 5"	10"	†	12 1/2"	21 7/8"	5"	14	5"	21 1/8"	24"	1 1/2"
MTY-9060	10" x 6"	10"	†	15"	24 7/8"	6"	14	6"	24 11/32"	28"	1 1/2"
MTY-9080	10" x 8"	10"	†	20"	30 7/8"	8"	14	—	30 11/32"	32"	—
MTY-9090	10"	10"	†	32"	40 3/8"	10"	12	—	42 25/32"	36"	—

MTY-9221	12" x 2 1/8"	12"	†	5"	14 3/32"	2 1/8"	16	2 1/8"	13 3/4"	24"	1 1/4"
MTY-9225	12" x 2 1/2"	12"	†	6"	15 1/4"	2 1/2"	16	2 1/2"	14 25/32"	24"	1 1/4"
MTY-9230	12" x 3"	12"	†	7 1/2"	16 7/8"	3"	16	3"	16 9/32"	24"	1 1/4"
MTY-9235	12" x 3 1/2"	12"	†	8 3/4"	18 3/8"	3 1/2"	16	3 1/2"	17 19/32"	27"	1 1/4"
MTY-9240	12" x 4"	12"	†	10"	19 7/8"	4"	16	4"	18 29/32"	27"	1 1/4"
MTY-9250	12" x 5"	12"	†	12 1/2"	22 7/8"	5"	14	5"	22 1/8"	27"	1 1/2"
MTY-9260	12" x 6"	12"	†	15"	25 7/8"	6"	14	6"	25 11/32"	31"	1 1/2"
MTY-9280	12" x 8"	12"	†	20"	31 7/8"	8"	14	—	31 11/32"	35"	—
MTY-9290	12" x 10"	12"	†	32"	41 3/8"	10"	12	—	43 25/32"	39"	—
MTY-9292	12"	12"	†	36"	46 7/8"	12"	12	—	49 1/8"	43"	—

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:

Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Bell or Straight Ends – 2 1/8" through 6". Straight ends only – 8" and up.

* Segmented (3-piece miter)

† Consult factory

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com




Reducing Couplings

Part No.	Size	A-o.d.	Gauge	C	D	E-i.d.	Gauge	K
MRC-2521	2 1/2" x 2 1/8"	2 1/2"	16	4 1/2"	1 1/4"	2 1/8"	16	1 1/2"
MRC-3021	3" x 2 1/8"	3"	16	8 3/4"	1 1/4"	2 1/8"	16	2"
MRC-3025	3" x 2 1/2"	3"	16	5"	1 1/4"	2 1/2"	16	1 1/2"
MRC-3521	3 1/2" x 2 1/8"	3 1/2"	16	11"	1 1/4"	2 1/8"	16	2"
MRC-3525	3 1/2" x 2 1/2"	3 1/2"	16	9 1/4"	1 1/4"	2 1/2"	16	2 7/8"
MRC-3530	3 1/2" x 3"	3 1/2"	16	5 1/2"	1 1/4"	3"	16	1 1/2"
MRC-4021	4" x 2 1/8"	4"	16	13 1/2"	1 1/4"	2 1/8"	16	2"
MRC-4025	4" x 2 1/2"	4"	16	11 3/4"	1 1/4"	2 1/2"	16	2"
MRC-4030	4" x 3"	4"	16	9 1/4"	1 1/4"	3"	16	2"
MRC-4035	4" x 3 1/2"	4"	16	6"	1 1/4"	3 1/2"	16	1 1/2"
MRC-5021	5" x 2 1/8"	5"	14	19 1/4"	1 1/4"	2 1/8"	16	2 3/4"
MRC-5025	5" x 2 1/2"	5"	14	17 1/2"	1 1/4"	2 1/2"	16	2 3/4"
MRC-5030	5" x 3"	5"	14	15"	1 1/4"	3"	16	2 3/4"
MRC-5035	5" x 3 1/2"	5"	14	12 1/2"	1 1/4"	3 1/2"	16	2 3/4"
MRC-5040	5" x 4"	5"	14	8"	1 1/4"	4"	16	1 3/4"
MRC-6021	6" x 2 1/8"	6"	14	24 3/4"	1 1/4"	2 1/8"	16	3 1/4"
MRC-6025	6" x 2 1/2"	6"	14	23"	1 1/4"	2 1/2"	16	3 1/4"
MRC-6030	6" x 3"	6"	14	20 1/2"	1 1/4"	3"	16	3 1/4"
MRC-6035	6" x 3 1/2"	6"	14	18"	1 1/4"	3 1/2"	16	3 1/4"
MRC-6040	6" x 4"	6"	14	15 3/4"	1 1/4"	4"	16	3 1/4"
MRC-6050	6" x 5"	6"	14	9"	1 1/2"	5"	14	1 3/4"
MRC-8040	8" x 4"	8"	14	26 1/4"	1 1/4"	4"	16	4 1/4"
MRC-8050	8" x 5"	8"	14	21 7/8"	1 1/2"	5"	14	4 1/4"
MRC-8060	8" x 6"	8"	14	17 1/2"	1 1/2"	6"	14	4 1/4"
MRC-9050	10" x 5"	10"	†	32 7/8"	1 1/2"	5"	14	5 1/4"
MRC-9060	10" x 6"	10"	†	28 1/2"	1 1/2"	6"	14	5 1/4"
MRC-9080	10" x 8"	10"	†	18 1/4"	2 1/2"	8" (O.D.)	14	5 1/4"
MRC-9280	12" x 8"	12"	†	29 1/4"	2 1/2"	8" (O.D.)	14	6 1/4"
MRC-9290	12" x 10"	12"	†	19 3/4"	3"	10" (O.D.)	12	6 1/4"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:
Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum
Expanded E dimension is standard through 6" size.
Straight Ends available on request for all sizes.


Expanded E and A dimensions available on request through 6" size.
† Consult factory



Female Reducing Adapter Expanded

Part No.	Size	A-F.I.P.S.	C	D	E-i.d.	Gauge
MRE-2025	2" to 2 1/2"	2"	4 1/4"	1 1/4"	2 1/2"	16

WHEN ORDERING, SPECIFY TYPE OF MATERIAL:
Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum




5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Male Adapter Nipple

Part No.	Size	A-M.I.P.S.	C	E-i.d.
MAN-2021	2 1/8"	2"	2"	2 1/8"


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



Male Adapter Expanded

Part No.	Size	A-M.I.P.S.	C	D	E-i.d.	Gauge
MME-2021	2" to 2 1/8"	2"	4"	1 1/4"	2 1/8"	16
MME-2525	2 1/2" to 2 1/2"	2 1/2"	4"	1 1/4"	2 1/2"	16
MME-3030	3" to 3"	3"	4 3/4"	1 1/4"	3"	16
MME-3535	3 1/2" to 3 1/2"	3 1/2"	4 3/4"	1 1/4"	3 1/2"	16
MME-4040	4" to 4"	4"	4 3/4"	1 1/4"	4"	16
MME-5050	5" to 5"	5"	5"	1 1/2"	5"	14
MME-6060	6" to 6"	6"	5 1/4"	1 1/2"	6"	14


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



Female Adapter Expanded

Part No.	Size	A-F.I.P.S.	C	D	E-i.d.	Gauge
MFE-2021	2" to 2 1/8"	2"	4"	1 1/4"	2 1/8"	16
MFE-2525	2 1/2" to 2 1/2"	2 1/2"	5"	1 1/4"	2 1/2"	16
MFE-3030	3" to 3"	3"	5 1/4"	1 1/4"	3"	16
MFE-3535	3 1/2" to 3 1/2"	3 1/2"	5 1/2"	1 1/4"	3 1/2"	16
MFE-4040	4" to 4"	4"	6 1/2"	1 1/4"	4"	16
MFE-5050	5" to 5"	5"	6 3/4"	1 1/2"	5"	14
MFE-6060	6" to 6"	6"	7"	1 1/2"	6"	14


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



90° Adapter Elbow

Part No.	Size	C	D	E-i.d.	H	L-F.I.P.S.
MAL-2120	2 1/8" to 2"	2 9/16"	1 1/16"	2 1/8"	1 5/8"	2"


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Cast Gray Iron or Zinc Coated or Nickel Plated



Adapter Tee

Part No.	Size	C	D	E-i.d.	H	L-F.I.P.S.
MAT-2120	2 1/8" to 2" *	4 13/16"	1 1/16"	2 1/8"	1 9/16"	2"
MAT-2520	2 1/2" to 2"	6 1/2"	1 1/4"	2 1/2"	2 1/8"	2"
MAT-3020	3" to 2"	6 1/2"	1 1/4"	3"	2 3/4"	2"
MAT-3520	3 1/2" to 2"	6 7/8"	1 1/4"	3 1/2"	3 7/16"	2"
MAT-4020	4" to 2"	6 7/8"	1 1/4"	4"	3 7/16"	2"


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: * Cast Gray Iron or Zinc Coated or Nickel Plated. Also available in Cast Aluminum. Other sizes: Carbon Steel, Stainless Steel, Aluminum



45° Elbow Female Adapter

Part No.	Size	A-o.d.	Gauge	B	C	D	E-i.d.	L-F.I.P.S.
MEF-2120	2 1/8" to 2"	2 1/8"	16	5"	4 1/16"	1 1/4"	2 1/8"	2"
MEF-2520	2 1/2" to 2"	2 1/2"	16	6"	4 1/2"	1 1/4"	2 1/2"	2"
MEF-2525	2 1/2" to 2 1/2"	2 1/2"	16	6"	4 1/2"	1 1/4"	2 1/2"	2 1/2"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum




5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Band Hangers


Part No.	Size	E-i.d.	Gauge
MBH-2100	2 1/8"	2 1/8"	16
MBH-2500	2 1/2"	2 1/2"	16
MBH-3000	3"	3"	16
MBH-3500	3 1/2"	3 1/2"	16
MBH-4000	4"	4"	16
MBH-5000	5"	5"	16
MBH-6000	6"	6"	16
MBH-8000	8"	8"	16
MBH-9000	10"	10"	16
MBH-9200	12"	12"	16



TYPE OF MATERIAL:
Zinc Galv. Coated Steel

Tube Plugs

Part No.	Size	A-o.d.	Gauge	C
MTP-2100	2 1/8"	2 1/8"	16	1"
MTP-2500	2 1/2"	2 1/2"	16	1"
MTP-3000	3"	3"	16	1"
MTP-3500	3 1/2"	3 1/2"	16	1 3/8"
MTP-4000	4"	4"	16	1 3/8"
MTP-5000	5"	5"	14	1 5/8"
MTP-6000	6"	6"	14	1 5/8"
MTP-8000	8"	8" I.D.	14	1 3/4"
MTP-9000	10"	10" I.D.	†	2"
MTP-9200	12"	12" I.D.	†	2"




WHEN ORDERING, SPECIFY TYPE OF MATERIAL:
Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

Must be used with Belled Ends. † Consult factory

Tube Nipples

Part No.	Size	A-o.d.	Gauge	C
MTN-2100	2 1/8"	2 1/8"	16	2 1/2"
MTN-2500	2 1/2"	2 1/2"	16	2 1/2"
MTN-3000	3"	3"	16	2 1/2"
MTN-3500	3 1/2"	3 1/2"	16	2 1/2"
MTN-4000	4"	4"	16	2 1/2"
MTN-5000	5"	5"	14	3"
MTN-6000	6"	6"	14	3"
MTN-8000	8"	8"	14	4"
MTN-9000	10"	10"	†	5"
MTN-9200	12"	12"	†	6"




† Consult factory

45° Utility Y's

Bell Ends (see illustration) also available with straight end. "F" dimension, Straight End only.

Part No.	Size	A-o.d.	Gauge	C	D	E-i.d.	F-o.d.	Gauge	H	K
MUY-2178	2 1/8" x 7/8"	2 1/8"	16	5 1/8"	1 1/4"	2 1/8"	7/8"	18	3 5/8"	6"
MUY-2578	2 1/2" x 7/8"	2 1/2"	16	5 1/8"	1 1/4"	2 1/2"	7/8"	18	3 3/8"	6"
MUY-3078	3" x 7/8"	3"	16	5 1/8"	1 1/4"	3"	7/8"	18	3 3/8"	6"
MUY-3578	3 1/2" x 7/8"	3 1/2"	16	5 1/8"	1 1/4"	3 1/2"	7/8"	18	3 3/8"	6"
MUY-4078	4" x 7/8"	4"	16	5 1/8"	1 1/4"	4"	7/8"	18	4 1/8"	6"


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



Female Adapter

Part No.	Size	A-F.I.P.S.	C	F-o.d.	Gauge
MFA-2021	2" to 2 1/8"	2"	4"	2 1/8"	16
MFA-2525	2 1/2" to 2 1/2"	2 1/2"	5"	2 1/2"	16
MFA-3030	3" to 3"	3"	5 1/4"	3"	16
MFA-3535	3 1/2" to 3 1/2"	3 1/2"	5 1/2"	3 1/2"	16
MFA-4040	4" to 4"	4"	6 1/2"	4"	16
MFA-5050	5" to 5"	5"	6 3/4"	5"	14
MFA-6060	6" to 6"	6"	7"	6"	14
MFA-8080	8" to 8"	8"	9"	8"	14
MFA-9090	10" to 10"	10"	11"	10"	†
MFA-9292	12" to 12"	12"	13"	12"	†

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum
† Consult factory




5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Male Adapter

Part No.	Size	A-M.I.P.S.	C	F-o.d.	Gauge
MMA-2021	2" to 2 1/8"	2"	4"	2 1/8"	16
MMA-2525	2 1/2" to 2 1/2"	2 1/2"	4"	2 1/2"	16
MMA-3030	3" to 3"	3"	4 3/4"	3"	16
MMA-3535	3 1/2" to 3 1/2"	3 1/2"	4 3/4"	3 1/2"	16
MMA-4040	4" to 4"	4"	4 3/4"	4"	16
MMA-5050	5" to 5"	5"	5"	5"	14
MMA-6060	6" to 6"	6"	5 1/4"	6"	14
MMA-8080	8" to 8"	8"	5 3/4"	8"	14
MMA-9090	10" to 10"	†	6 1/4"	10"	12
MMA-9292	12" to 12"	†	6 1/2"	12"	10


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum
† Consult factory



Female Reducing Adapter

Part No.	Size	A-F.I.P.S.	C	F-o.d.	Gauge
MFR-2025	2" to 2 1/2"	2"	4 1/4"	2 1/2"	16


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



Male Reducing Adapter

Part No.	Size	A-M.I.P.S.	C	D	F-i.d.	Gauge
MMR-2112	2 1/8" to 1 1/4"	1 1/4"	5 3/4"	1 1/4"	2 1/8"	16
MMR-2115	2 1/8" to 1 1/2"	1 1/2"	5 3/4"	1 1/4"	2 1/8"	16


WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum
Bell or Straight Ends (F-o.d.= 2 1/8")



Inlet Valves

Inlet Valve Part No.	Size	Wrench Part No.	Escutcheon Plate No.
MIV-2015	1 1/2"	MIW-2015	MIX-2000
MIV-2018	1.8"	MIW-2020	
MIV-2020	2"		

Threaded End is 2" M.I.P.S.
Aluminum Body Casting - Galv. Steel Lid



Hose Adapters

Part No.	Fits Inlet Valve Part No.	Hose I.D.
MHA-2015	MIV-2020	1 1/2"
MHA-2018	MIV-2020	1.8"
MHA-2020	MIV-2020	2"
MHA-1815	MIV-2018	1 1/2"
MHA-1818	MIV-2018	1.8"
MHA-1515	MIV-2015	1 1/2"

Zinc Galv. Coated Steel

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com




Long-Radius Bends

45° On 30" Center Line – *straight ends only in stock**

Part No.	Size	A-o.d.	Gauge	B	C	D
M30-3045	3'	3'	16	30"	18 ⁷ / ₁₆ "	6"
M30-3535	3 1/2"	3 1/2"	16	30"	19 ⁷ / ₁₆ "	7"
M30-4045	4'	4'	16	30"	20 ⁷ / ₁₆ "	8"
M30-5045	5'	5'	14	30"	22 ⁷ / ₁₆ "	10"
M30-6045	6'	6'	14	30"	24 ⁷ / ₁₆ "	12"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum




Long-Radius Bends

90° On 30" Center Line – *straight ends only in stock**

Part No.	Size	A-o.d.	Gauge	B	C	D
M30-3090	3"	3"	16	30"	36"	6"
M30-3590	3 1/2"	3 1/2"	16	30"	37"	7"
M30-4090	4"	4"	16	30"	38"	8"
M30-5090	5"	5"	14	30"	40"	10"
M30-6090	6"	6"	14	30"	42"	12"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum




Long-Radius Bends

45° On 36" Center Line – *straight ends only in stock**

Part No.	Size	A-o.d.	Gauge	B	C	D
M36-2145	2 1/8"	2 1/8"	16	36"	20 ²⁹ / ₃₂ "	6"
M36-2545	2 1/2"	2 1/2"	16	36"	19 ²⁹ / ₃₂ "	5"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



* Bell Ends through 6" available on request.

Many other sizes, center-line radii, and degrees of long-radius bends also available.

For different gauge material, consult customer service.

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com




Long-Radius Bends

90° On 36" Center Line – *straight ends only in stock**

Part No.	Size	A-o.d.	Gauge	B	C	D
M36-2190	2 1/8"	2 1/8"	16	36"	42"	6"
M36-2590	2 1/2"	2 1/2"	16	36"	41"	5"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum




Long-Radius Bends

45° On 48" Center Line – *straight ends only in stock**

Part No.	Size	A-o.d.	Gauge	B	C	D
M48-3045	3"	3"	16	48"	25 7/8"	6"
M48-3535	3 1/2"	3 1/2"	16	48"	26 7/8"	7"
M48-4045	4"	4"	16	48"	27 7/8"	8"
M48-5045	5"	5"	14	48"	29 7/8"	10"
M48-6045	6"	6"	14	48"	31 7/8"	12"
M48-8045	8"	8"	11	48"	35 7/8"	16"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum




Long-Radius Bends

90° On 48" Center Line – *straight ends only in stock**

Part No.	Size	A-o.d.	Gauge	B	C	D
M48-3090	3"	3"	16	48"	54"	6"
M48-3590	3 1/2"	3 1/2"	16	48"	55"	7"
M48-4090	4"	4"	16	48"	56"	8"
M48-5090	5"	5"	14	48"	58"	10"
M48-6090	6"	6"	14	48"	60"	12"
M48-8090	8"	8"	11	48"	64"	16"

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum



* Bell Ends through 6" available on request.

Many other sizes, center-line radii, and degrees of long-radius bends also available.
For different gauge material, consult customer service.

5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Compression Couplings

Tubing O.D.	Morris Coupling Code No.	No. Bolts	Coupling Length
2 1/8"	2 1/8 - 2C OD	2	4"
2 1/8"	2 1/8 - 3C OD	3	6"
2 1/2"	2 1/2 - 2C OD	2	4"
2 1/2"	2 1/2 - 3C OD	3	6"

3"	3 - 2C OD	2	4"
3"	3 - 3C OD	3	6"
3"	3 - 4C OD	4	8"
3 1/2"	3 - 2C	2	4"
3 1/2"	3 - 3C	3	6"
3 1/2"	3 - 4C	4	8"

4"	3 1/2 - 2C	2	4"
4"	3 1/2 - 3C	3	6"
4"	3 1/2 - 4C	4	8"

5"	4 1/2 - 2C	2	4"
5"	4 1/2 - 3C	3	6"
5"	4 1/2 - 4C	4	8"

6"	6 - 2C OD	2	4"
6"	6 - 3C OD	3	6"
6"	6 - 4C OD	4	8"
6"	6 - 5C OD	5	10"

8"	8 - 2C OD	2	6"
8"	8 - 3C OD	3	8"
8"	8 - 4C OD	4	10"
8"	8 - 5C OD	5	12"

10"	10 - 3C OD	3	8"
10"	10 - 4C OD	4	10"
10"	10 - 5C OD	5	12"

12"	12 - 3C OD	3	8"
12"	12 - 4C OD	4	10"
12"	12 - 5C OD	5	12"

Morris Compression Couplings provide a sure, tight coupling with equalized compression. Simply slide coupling over joint and tighten. The exclusive Morris outer-shell and bar-washer design creates an equalized pressure seal.

Morris Compression Couplings are provided with a black neoprene gasket and grounding strip. Red or white gaskets and many other sizes are available.

Nuts and Bolts

Coupling comes ready to slip on with electroplated nuts and bolts in place - ready to be tightened with a single-socket wrench.

Gasket


Die-cut tooth design assures low- or high-pressure seal for both gaseous and liquid materials. Black neoprene is standard gasket, but rubber, white neoprene, high temperature and other gasket materials are available.

Material

Couplings available in galvanized steel, aluminum, or stainless steel.


Inner Sleeve

Precision die-cut teeth help apply equal pressure to the entire pipe circumference to attain positive seal plus extra rigidity.



Slip Couplings

Part No.	Size	C	E-i.d.	Gauge
MSC-2100	2 1/8"	3"	2 1/8"	16
MSC-2500	2 1/2"	3 1/2"	2 1/2"	16
MSC-3000	3"	4"	3"	16
MSC-3500	3 1/2"	4 1/2"	3 1/2"	16
MSC-4000	4"	5"	4"	16
MSC-5000	5"	6"	5"	14
MSC-6000	6"	7"	6"	14
MSC-8000	8"	8"	8"	14
MSC-9000	10"	10"	10"	†
MSC-9200	12"	12"	12"	†




For joining two straight ends. Can be welded, brazed, glued or covered with shrink sleeves.

Slip Welding Rings

Part No.	Size	C	E-i.d.	Gauge
MWR-8000	8"	3"	8"	14
MWR-9000	10"	3"	10"	†
MWR-9200	12"	3"	12"	†

WHEN ORDERING, SPECIFY TYPE OF MATERIAL: Carbon Steel, Zinc Galv. Coated Steel, Stainless Steel, Aluminum

† Consult factory



5860 Boul. St-Laurent
Montréal (Québec) H2T 1T3
Tél. : (514) 273-4331 Fax : (514) 273-9710
www.capt-air.com



Quickon II Couplers

Tubing O.D.	Morris Coupler	No. Handles	Coupler Length
2 1/8"	2121	1	4"
2 1/2"	2501	1	4"

3"	3001	1	4"
3 1/2"	3501	1	4"

4"	4001	1	4"
4"	2-4001	2	9 1/2"

5"	5001	1	4"
5"	2-5001	2	9 1/2"

6"	6001	1	4"
6"	2-6001	2	9 1/2"

8"	8001	1	4"
8"	2-8001	2	9 1/2"

10"	10001	1	4"
10"	2-10001	2	9 1/2"

12"	2-12001	2	9 1/2"
-----	---------	---	--------

Provided with rubber gaskets and grounding strips.

OPEN/CLOSE without tools...in seconds

Morris Quickon II Couplers can be installed or removed with a twist of the wrist. No tools or special skills needed. The positive locking system turns easily to seal or to compensate for normal O.D. tubing tolerances.

This in-line coupler is ideal for use where fast takedown and reassembly of lines are essential, reduced coupler weight is desirable, or a system is frequently modified.



Shrink Sleeves

Part No.	Tubing O.D.
MSS-2100	2 1/8"
MSS-2500	2 1/2"
MSS-3000	3"
MSS-3500	3 1/2"
MSS-4000	4"
MSS-5000	5"
MSS-6000	6"

Shrink sleeves are film bands that are heat shrinkable. Can be used with slip couplings (two required per slip coupling) or bell ends.