



CAPT-AIR®

8001 Rue Larrey, Anjou, QC, Canada, H1J 2L4
514-273-4331 • info@capt-air.com • www.capt-air.com



SpaceVac™
INTERNATIONAL



**SpaceVac High-Level Cleaning Systems
Illustrated Catalogue**

It is with great pleasure that we present the range of **SpaceVac High-Level Cleaning Systems**.

As our footprint throughout the world continues to grow, so to has our commitment to safety and innovation; leading to a range of 15 high-level cleaning systems - each designed to provide a range of options for partners and clients across a range of business sectors and price points.

In addition; our team of engineers have been hard at work developing a range of new add-ons and accessories, such as our new Explorer Camera System and the new Spacesuit which enhance and extend the range and performance of SpaceVac in your day to day activities.

Be sure to book a demo of **SpaceVac** today and see for yourself how you and your team could be working higher, safer & faster!

Tommie Nisula

CEO, SpaceVac International
@TommieNisulaSE



See SpaceVac In Action!

Scan the QR code to check out videos of the SpaceVac range in action on our Youtube channel!



Scan to find out more about the benefits of SpaceVac!

British Engineering. Global Issues.

SpaceVac are the world's leading manufacturer of high-level vacuum cleaning and inspection systems.

The SpaceVac system was first invented over a decade ago and since then, continuous research and development has led to a range of 15 unique systems that are revolutionising high-level cleaning.

The system was first introduced as a way of helping cleaners to clean blocked guttering from the ground floor. Following increasing customer demand however, this product has since been expanded to develop new lines for use in internal dusting, the removal of hazardous combustible materials and even cleaning in specialist environments.

Since our products were first launched onto the market, they have helped some of the biggest businesses in the world overcome the unique challenges associated with high-level cleaning.

Universal Cleaning Solutions to Unique Cleaning Challenges.

High-level cleaning is an area that affects almost all businesses - albeit often in different ways. Over time, accumulated dust can not only visually impact the environment

inside a building but also create and aggravate health complaints for people living and working within the space.

For some businesses - their high-level requirements are external - with a need to clear blockages from guttering and downpipes before leaks can cause damage to the building itself.

For some clients however - material gathering at heights creates even more dangerous concerns. Left unchecked, dust accumulating in cable trays and lighting systems can lead to overheating and fires breaking out. Meantime, in specialist ATEX rated areas such as bakeries, woodmills or specialist manufacturers, then this risk can be deadly - with the accumulated dust serving as a highly combustible fuel source in the event of a fire or explosion.

Loved by Cleaning Teams and Accountants Alike

By introducing a simple to use, floor operated solution to these problems, SpaceVac not only presented cleaning teams with a safer way to conduct their work - by removing the need to work at height - but its introduction also offers a number of unique benefits to our clients.

Our interlocking high-level pole systems remove the need for additional access equipment that would previously have been required. These items - such as scaffolding, ladders or hydraulic lifts - not only require multiple members of staff to operate but are also expensive and time consuming to set up and move around a facility.

The simple removal of these items from cleaning regimes means operators can complete cleaning work in a fraction of the time and substantially cheaper than they could utilising traditional cleaning methods.

In addition - the small footprint and non-disruptive nature of the system means cleaning work has less impact on operations - reducing downtime and increasing productivity.

All of our products are proudly manufactured in the UK with our focus on innovation and improvement continuing to deliver high-quality, innovative new products for our clients around the world.



Scan to browse a range of Case studies from Ikea, Tesco and more at our website!

Innovation. Not Imitation.

Since our line of high-level cleaning systems first entered the marketplace, our engineering team have continued to develop, adapt and refine our systems.

Today our range includes 15 different cleaning systems - all manufactured in the UK - designed to suit a range of different cleaning environments and price points - as well as a full range of specialist systems, accessories, add-ons and ancillary products.

The core lines within the SpaceVac range are our Internal, ATEX and External systems - each comprised of a full hose kit*, pole kit and range of cleaning tools and brushes. Available at a range of price points - from our entry level **LITE** system to our market leading **ULTRA** system - the range all feature our unrivalled build quality and come equipped with our unique safety locking mechanism as standard.

Joining the SpaceVac range are a number of specialist systems all designed with very specific purposes in mind. The first - an ATEX approved **Food Safe Cleaning** system with FDA cleaning accessories suitable for use in Food and Drink manufacturing facilities - where the highest standards in cleanliness and hygiene are a must.

This exciting addition is joined by our **High-Voltage** pole system (Rated

as capable of withstanding up to 50,000 volts) for use in high-voltage trackside environments and a unique **Museums and Fine Art** accessory pack designed to provide soft touch, non-abrasive cleaning of old and delicate items.

In addition, our team have also worked hard to create a range of supporting add-ons and accessories to enhance and add further functionality to our products.

In late 2020 we were delighted to unveil the new **Explorer Camera** system - a game changing new development in camera and monitoring technology offering unrivalled quality and specifications (First utilised on the NASA / Orbital Sciences Space Mission). The new camera system boasts a 9 hour battery life, 12MP photos and 1080p recording as well as a unique remote access function to allow sharing of feed with offsite colleagues.

Putting the Vac in SpaceVac

As we enter 2022 - the latest addition to the SpaceVac range is our brand new line of Spacevac vacuum cleaners; designed to provide the perfect companion to any SpaceVac high-level cleaning system.

Hand built by a team of vacuum specialists to our exacting

specifications, the newly released trio of vacs are engineered to provide a powerful cleaning performance in any area.

The new SpaceVac line features three systems. The first is the new **Endeavour**; a dual motor system designed for removing high-level dust and other materials from internal areas.

Moving up the range, users looking to clean internally and externally, will look to our new **Hurricane** wet / dry vac - living up to its moniker with three independent motors providing powerful suction and airflow for cleaning with our Internal and External cleaning systems.

Finally; operators working in ATEX certified areas such as industrial manufacturing facilities or bakeries, can now also utilise the new **SpaceVac TITAN and TITAN 2 Vacs**. The centrepiece of our Vacuum line, the Titans are new ATEX certified vacuum units safe for use in these highly specialised environments in conjunction with our range of conductive, full Carbon cleaning systems.

In addition to their impressive specifications (see over) all of these exciting new vac system are also fitted with new "Tool Holders" for easy storage and access to SpaceVac poles and tools when cleaning - another innovative new design feature.

Innovation not Imitation

The future looks bright for #TeamSpaceVac: Our focus on developing new and innovative products with our UK manufacturing

team means a number of exciting new products are already being readied for launch.

Among these new developments are the launch of our new entry level **EXTERNAL LITE** system for window cleaners and other businesses looking to get started with gutter cleaning. This new product is joined by a new ATEX certified version of our **Explorer Camera** (The **EXplorer**), and the latest addition to our stable of cleaning innovations; the launch of our new **Titan 2** vacuum, 2.2kw, which will be available in 230 volt x 16 amp and 110 volt x 32 amp versions for use in combustible environments with our ATEX cleaning systems.

Book a demo of any of our high-level cleaning systems or vacuum today - visit the website at spacevacinternational.com



A person is seen from behind, using a long-reach cleaning system to clean the glass facade of a modern building. The person is wearing a red jacket and dark pants. The building has large glass windows and a concrete frame. The background shows a body of water and some trees. The overall scene is in a blue-tinted color scheme.

INTERNAL CLEANING

Contents:

- Internal 38mm Lite
- Internal 38mm Pioneer
- Internal 38mm Classic
- Internal 38mm Pro
- Internal 38mm Ultra
- Internal Museums Pack
- Under Racking Kit



The SpaceVac Lite cleaning system is a low-cost entry level product for occasional use and teams only requiring a few metres of additional reach.

Ideal for use in domestic settings as well as light commercial use such as smaller retail units or office space where the removal of dust is critical to not only cleanliness, but also the health of employees working within the space.

Featuring our unique "safety locking mechanism" the SpaceVac Lite system is capable of reaching over 4m in height and can be fully accessorised with a range of additional add-on tools to give users increased flexibility.

**Product Focus:
38mm Internal Lite**

- No of Poles: 3
- Material: Glass Fibre
- Working Height: 4.75m
- Length of Enclosed Poles: 3.75m
- Pole Diameter: 38mm
- Pole Length: 1.25m
- No of Heads: 1
- No of Brushes: 2
- Hose Kit Included: No

Accessories & Add-ons available:

Be sure to check out our the range of extra tools and brushes you can add to your Spacevac on Page 22

What's Included: SV38/LITE

Each 38mm SpaceVac Lite system comes with the following items included as standard:



3 x SV38/125-LITE
3 x 38mm x 1.25m
LITE Pole



SV/LPB
1 x Lite Pole Bag



SV38/32HA
1 x 32mm Hose to
Pole Adaptor



SV38/90H
1 x 90 Degree Cleaning
Head



SV38/85W
1 x 20cm Small Flexi
Brush




SV38/SRB
1 x Small Round Brush

Don't Forget: All of our SpaceVac cleaning systems can be accessorised with a range of add-on tools and accessories - be sure to check our accessories and add-ons section for more information.

Some of our Clients Include:





The Pioneer system is designed to fill the gap between our budget friendly, entry-level LITE system and the bigger, more powerful systems available elsewhere in the range.

Reaching over 6m in height from the safety of the ground floor, the Pioneer system has been designed for users looking for a little extra reach and functionality in their SpaceVac system.

Often paired with a backpack vacuum, the unobtrusive working method, means that our easy to deploy system allows maintenance to be carried out with minimal disruption to personnel in the area.

Product Focus:
38mm Internal Pioneer

- No of Poles: 3.5
- Material: Glass Fibre / Carbon Fibre Composite
- Working Height: 6.6m
- Length of Enclosed Poles: 5.6m
- Pole Diameter: 38mm
- Pole Length: 1.6m
- No of Heads: 3
- No of Brushes: 2
- No of Tools: 1
- Hose Kit Included: Yes
- Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!



What's Included: SV38/PIONEER

Each 38mm SpaceVac Pioneer system comes with the following items included as standard:



3 x SV38/16-Pioneer
3 x 38mm x 1.6m Pioneer Pole



SV38/08-Pioneer
1 x 38mm x 0.8m Pioneer Half Pole



SV/PB
1 x Padded Pole Bag



SV38/85W
1 x 20cm Small Flexi Brush



SV38/FLT
1 x 30cm Flat Surface Tool



SV38/SRB
1 x Small Round Brush



SV38/45H
1 x 45 Degree Cleaning Head



SV38/135H
1 x 135 Degree Cleaning Head



SV38/90H
1 x 90 Degree Cleaning Head



SV38/3H
1 x 3m Hose



SV38/HA
1 x Hose to Pole Adaptor



SV38/50HC
1 x 38mm Vac Inlet Cuff



SV/HB
1 x Hose Bag

Some of our Clients Include:





Our Internal Classic System provides operators with a safe and easy way to clean high-level areas up to 10m high from the safety of the ground floor.

Designed and manufactured in the UK, the 38mm classic pole, is made from a high grade 3K Carbon Fibre blend to keep the pole weight to a minimum (when compared with alternative aluminium cleaning poles), whilst being robust enough to withstand rigorous use onsite.

Additionally; the Classic system includes a full range of unique heads, and brushes, providing a versatile cleaning solution, that can even interconnect to create custom shapes and configurations for cleaning difficult to access areas!

**Product Focus:
38mm Internal Classic**

- No of Poles: 5.5
- Material: Glass Fibre / Carbon Fibre Composite
- Carbon Weave: Unidirectional 3K
- Working Height: 9.8m
- Length of Enclosed Poles: 8.8m
- Pole Diameter: 38mm
- Pole Length: 1.6m
- No of Heads: 4
- No of Brushes: 4
- No of Tools: 1
- Hose Kit Included: Yes
- Hose Diameter: 38mm


















[Hose pictured for illustrative purposes - length of hose varies by system.]



SCAN TO FIND OUT MORE ABOUT OUR

What's Included: SV38/CLASSIC

Each 38mm SpaceVac Classic system with the following items included as standard:

				
5 x SV38/16-Classic 5 x 38mm x 1.6m Classic Pole	SV38/08-Classic 1 x 38mm x 0.8m Classic Half Pole	SV/PB 1 x Padded Pole Bag	SV38/8SW 1 x 20cm Small Flexi Brush	
				
SV38/15SW 1 x 38cm Large Flexi Brush	SV38/SRB 1 x Small Round Brush	SV38/FLT 1 x 30cm Flat Surface Tool	SV38/12DB 1 x 30cm Ducting Brush	
				
SV38/45H 1 x 45 Degree Cleaning Head	SV38/90H 1 x 90 Degree Cleaning Head	SV38/135H 1 x 135 Degree Cleaning Head	SV38/STR 1 x Straight Cleaning Head	
				
SV/MB 1 x Mesh Bag	SV38/5H 1 x 5m Hose	SV38/HA 1 x Hose to Pole Adaptor	SV38/50HC 1 x 38mm Vac Inlet Cuff	SV/HB 1 x Hose Bag



Operators looking to reach increased heights turn to the SpaceVac Pro 38mm system for heavy duty performance.

In developing our Pro poles, SpaceVac's engineering team faced a unique challenge - how to increase the reach of the SpaceVac system without compromising operation.

By employing advancements in Carbon engineering technology, the team developed a new carbon fibre blend; utilising increased amounts of carbon to produce a cleaning pole that not only reduced the individual pole weight (crucial when adding additional poles to reach increased heights) but also improved the rigidity of the complete system to ensure improved stability - even at full height.

**Product Focus:
38mm Internal Pro**

- No of Poles: 7.5
- Material: Carbon Fibre
- Carbon Weave: 4k Full Carbon Fibre
- Working Height: 13m
- Length of Enclosed Poles: 12m
- Pole Diameter: 38mm
- Pole Length: 1.6m
- No of Heads: 4
- No of Brushes: 4
- No of Tools: 1
- Hose Kit Included: Yes
- Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!

What's Included: SV38/PRO

Each 38mm SpaceVac Pro system comes with the following items included as standard:



7 x SV38/16-Pro
7 x 38mm x 1.6m Pro Pole



SV38/08-Pro
1 x 38mm x 0.8m Pro Half Pole



SV/PB
1 x Padded Pole Bag



SV38/85W
1 x 20cm Small Flexi Brush



SV38/15SW
1 x 38cm Large Flexi Brush



SV38/SRB
1 x Small Round Brush



SV38/FLT
1 x 30cm Flat Surface Tool



SV38/12DB
1 x 30cm Ducting Brush



SV38/45H
1 x 45 Degree Cleaning Head



SV38/90H
1 x 90 Degree Cleaning Head



SV38/135H
1 x 135 Degree Cleaning Head



SV38/STR
1 x Straight Cleaning Head



SV/MB
1 x Mesh Bag



SV38/5H
1 x 5m Hose



SV38/HA
1 x Hose to Pole Adaptor



SV38/50HC
1 x 38mm Vac Inlet Cuff



SV/HB
1 x Hose Bag



Introduced to cater to power users looking to clear heights of over 20m, the SpaceVac Ultra pole is our finest high-level cleaning pole yet.

Designed and manufactured in Great Britain, the ULTRA poles have been developed in response to requests for an internal system with increased reach for use in larger interior spaces.

Developed by our team of engineers, the new pole features a market first '12K Carbon Weave' to provide a pole with our highest quality carbon engineering yet.

The new pole offers our best ever build quality in our lightest, most durable and most rigid pole yet - allowing for heavy duty cleaning performance at world record breaking heights!

Product Focus: 38mm Ultra System

- No of Poles: 9.5
- Material: Carbon
- Carbon Weave: 12k Full Carbon Fibre
- Working Height: 16m
- Length of Enclosed Poles: 15m
- Pole Diameter: 38mm
- Pole Length: 1.6m
- No of Heads: 4
- No of Brushes: 4
- No of Tools: 1
- Hose Kit Included: Yes
- Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]



SCAN TO FIND OUT
MORE ABOUT OUR
FINANCE OPTIONS!

What's Included: SV38/ULTRA

Each 38mm SpaceVac Ultra system comes with the following items included as standard:



9 x SV38/16-Ultra
9 x 38mm x 1.6m Ultra Poles



SV38/08-Ultra
1 x 38mm x 0.8m Ultra Half Pole



SV/PB
1 x Padded Pole Bag



SV38/85W
1 x 20cm Small Flexi Brush



SV38/15SW
1 x 38cm Large Flexi Brush



SV38/SRB
1 x Small Round Brush



SV38/FLT
1 x 30cm Flat Surface Tool



SV38/12DB
1 x 30cm Ducting Brush



SV38/45H
1 x 45 Degree Cleaning Head



SV38/90H
1 x 90 Degree Cleaning Head



SV38/135H
1 x 135 Degree Cleaning Head



SV38/STR
1 x Straight Cleaning Head



SV/MB
1 x Mesh Bag



SV38/5H
1 x 5m Hose



SV38/HA
1 x Hose to Pole Adaptor



SV38/50HC
1 x 38mm Vac Inlet Cuff



SV/HB
1 x Hose Bag



Our specialist head pack, features a range of brand new cleaning tools and accessories for use in Museums, Galleries and Historic Houses.

Featuring specialist versions of our brushes - finished in goats hair bristles for a soft, non-abrasive cleaning tool, along with a detailing kit of cleaning accessories to enable operators using any SpaceVac high-level cleaning system to carry out even detail cleans with a simple attachment.

The system is the perfect way of removing accumulated dust with no risk of damage or abrasion of property.



What's Included: SV/MK

Each SpaceVac Museums system comes with the following items included as standard:



SV38/SHHB
1 x Small Round Horse Hair Brush [Soft]



SV38/GHB
1 x Small Goat Hair Brush [Very Soft]



SV38/85W
1 x 20cm Small Flexi Brush Horse Hair



SV/MTK
1 x 8 Piece Micro Tool Kit [Inc. 38mm Hose Adapter And Bag]



Bundles:

The SpaceVac museums system is available to purchase as a bundle with the following backpack vacuums - offering a convenient solution to cleaning teams on the go.



Superpro 700

- 900W 2-stage flow through motor
- 4-stage filtration with HEPA rated Hypercone™ filter
- 53L/sec airflow
- 18m power cord
- 70.2dB(A) noise level
- Weight: 5.2kg [exc hose assembly and power cord]



Superpro battery 700 advanced

- 300W single-stage flow through 36V BLDC
- 4-stage filtration with HEPA rated Hypercone™ filter
- 2 x 18V 6.0Ah [108Wh] lithium-ion batteries
- 1 hour 45 minutes charge time
- 33L/sec airflow
- Weight: 5.7kg with battery pack exc hose]
- Battery run-time 40 minutes

* Please note these models are only available to customers in the UK



SV38/24DB
61cm Ducting Brush



SV38/48DB
122cm Ducting Brush



SV38/8WT
20cm Small Water Removal Tool



SV38/MAB
38mm Multi Angle Brush



SV38/SS
Protective Silicon Sleeve

Also Available:

SV38/K-HA
38mm Hose to Karcher Vac Barbed Inlet

SQ4
Squeegee Blade Pair For FLT



SV38/15WT
38cm Large Water Removal Tool



SV38/15SW/SYN
38cm Large Flexi Brush with soft bristles



SV38/MRBSOFT
Medium Round Brush with Soft Bristles



SV38/MRBSTIFF
Medium Round Brush With Stiff Bristles



SV38/4PB
10cm Pipe Brush



SV38/8PB
20cm Pipe Brush



SV38/CB
38mm Crevice Nozzle with Brush




SV38/GHB
Small Goat Hair Brush (Very Soft)



SV38/SHHB
Small Round Horse Hair Brush (Soft)



Scan to browse a range of Case studies from Ikea, Tesco and more at our website!





Internal Vacuum: SpaceVac Endeavour

SV/Endeavour
2 Motor Standard Vac

The SpaceVac Endeavour is a powerful twin motor vacuum cleaner for excellent suction and easy removal of high-level dust and dirt from internal settings.



- Two single phase brush motors double stage by-pass
- Painted version with trolley in RAL 9005 black, container and filter chamber in RAL 7001 grey
- Motor-head in ABS/metal black coloured
- Independent switches for each motor
- Vacuum-meter to check the filter efficiency
- 9m Long Electrical Cable
- Star filter in polyester cat. "L"
- Manual filter shaker on top of the vacuum
- Quick inlet Ø70mm
- Dust bin of 25l provided with handle and castors
- Rear castors Ø125mm, front castors Ø100mm with brake
- With special support for SpaceVac tools

Specifications:

Endeavour 230V

- 2 brush motors, single-phase
- 2200 WATT [2,2 kW]
- 230V. 50/60 HZ.
- 210mbar
- 340 m3/h
- 16a CEE industrial plug- UK patch lead added for 13 amp use

Endeavour 110V

- 2 brush motors, single-phase
- 2000 WATT [2,2 kW]
- 120V. 50/60 HZ.
- 210mbar
- 340 m3/h
- 16a CEE industrial plug



Working closely with our specialist manufacturing centre, our engineering team have developed and tested a system packed with new features and cutting edge camera technology.

The resultant system is one of the most powerful, flexible and efficient camera system available anywhere in the specialist cleaning marketplace.

The **EXPLORER** system packs a range of innovative new features including our unique remote access function; allowing for real time streaming to anyone, anywhere in the world!

Product Focus:

- Stills: 12mp
- Records At: 1080p HD
- Battery Life: 9 hours
- Waterproof: Yes
- Waterproof Connections: Yes
- Low Light Mode: Yes
- Compatible with other devices: Yes
- Remote Access Mode: Yes

COMING SUMMER 2022:

Coming soon; our new ATEX rated **EX**plorer Camera and Monitoring system for use in specialist combustible environments!

What's Included: SVCAM/EXPLORER-KIT

Each SpaceVac Explorer system comes with the following items included as standard:

	SVCAM-EXPLORER Waterproof Explorer Camera		SVCAM-OBSERVER 1 x Phone Monitor
	2 x SVCAM-CLAMP 2 x Camera and Monitor Tube Clamp		SVSCREEN-MOUNT 1 x Screen Mount
	SV/CB 1 x Camera Bag		2 x SV/QRC 2 x Camera and Monitor Quick Release Clip
	SV/USB 1 x USB Cable		SV/DC 1 x Data Cable

Available Accessories:

	SV/IP35 10.5m Telescopic Inspection Pole		SVCAM-FLEXIHOOLD 1 x Flexible neck Bracket
	SV/IP55 16.5m Telescopic Inspection Pole		



**Under Racking Kit
SV50/URKIT**

Our unique **Under Racking Kit**, allows for the simple use of SpaceVac at ground level - allowing fast and easy removal of dust and other materials from floors that would otherwise be inaccessible due to the presence of racking or built in machinery that would preclude traditional cleaning methods.

Built around a core of our 50mm poles to allow for maximum airflow and high-powered cleaning performance **EVERY** time.

The SpaceVac SpaceSuit is a brand new cleaning add-on designed to make the use of SpaceVac even more comfortable for operators.

The lightweight but durable support brace, spreads the weight of the system evenly across operators shoulders and backs to make even long, heavy duty cleans much more comfortable and with less strain on the back, neck and shoulders.

The system also includes a pair of prismatic glasses to allow operators to easily monitor progress of cleans without needing to look upwards - helping to avoid operators straining their neck and making SpaceVac even more comfortable to work with.

In addition to being compatible with any of the SpaceVac high-level cleaning systems in our range, the new Spacesuit is also compatible for use with any telescopic inspection or even high-reach, water fed window cleaning pole systems making it an attractive add-on to facilities managers who offer these additional services in their portfolio.

SV/SS
1 x SpaceVac Spacesuit

SV/PG
1 x Prismatic Glasses

SV/Spacesuit-Bundle
Spacesuit Bundle



SV50/16-Classic
50mm X 1.6m
Composite Pole



SV50/08-Classic
50mm X 0.8m
Composite Pole



SV50/50-SCAV
50mm x 45cm
Scavenger Floor Tool



SV50/45-FF
50mm Alu 45 Degree
Bend - Female/Female
Adaptors



SV50/45H-MM
50mm Alu 45 Degree
Bend - Male/Male
Adaptors

A person is shown from the back, wearing a dark jacket and a cap, using a high-level cleaning system to clean the exterior of a building. The building has a mix of brick and light-colored panels. The scene is set during the day with some trees in the background.

EXTERNAL CLEANING

Contents:

External Lite 50mm
External Classic 50mm
Universal 50mm



Our External Lite Cleaning System is a simple to use, entry level cleaning system for the cleaning and maintenance of guttering and downpipes from domestic and smaller commercial premises.

A perfect selection for window cleaning or home maintenance business looking to increase revenue by adding additional services, the system provides all of the tools and poles required to quickly get to work.

The system features durable 50mm cleaning poles along with a range of hard wearing aluminium cleaning heads and tools.

**Product Focus:
50mm External Lite System**

- No of Poles: 4.5
- Material: Carbon Fibre / Glass Fibre Composite
- Carbon Weave: Unidirectional
- Working Height: 7.3m
- Length of Enclosed Poles: 6.3m
- Pole Diameter: 50mm
- Pole Length: 1.4m
- No of Heads: 1
- No of Tools: 2
- Hose Kit Included: Yes
- Hose Diameter: 50mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!

What's Included: SV50/LITE

Each 50mm SpaceVac External system comes with the following items included as standard:



4 x SV50/14-LITE
4 x 50mm x 1.4m Classic Pole



SV50/07-LITE
1 x 50mm x 0.7m Classic Half Pole



SV/PB
1 x Padded Pole Bag



SV50/135H
1 x 135 Degree Head



SV50/50ST
1 x 50mm Spike Tool



SV50/38ST
1 x 38mm Spike Tool



SV50/75H
1 x Hose x 7.5m



SV50/HA
1 x 50mm Hose to Pole Adapter



SV50/50HC
1 x 50mm Vac Inlet Cuff



SV/HB
1 x Hose Bag



See SpaceVac In Action!
Scan the QR code to check out videos of the SpaceVac range in action on our Youtube channel!

Some of our Clients Include:





Our External Cleaning System is a simple, durable system for the cleaning and maintenance of guttering and downpipes - capable of reaching up to a height over 11 metres from the safety of the ground floor.

The cleaning and regular maintenance of these guttering areas, is an often overlooked but crucial part of any building management plan; as blocked guttering can lead to leaks, structural damage to the property, and even health problems for the occupants within.

Given its almost universal application, our External system has rapidly found a home in stadiums, schools, colleges, warehousing facilities and many other sectors worldwide.

**Product Focus:
50mm External System**

- No of Poles:** 6.5
- Material:** Carbon Fibre / Glass Fibre Composite
- Carbon Weave:** Unidirectional
- Working Height:** 11.4m
- Length of Enclosed Poles:** 10.4m
- Pole Diameter:** 50mm
- Pole Length:** 1.6m
- No of Heads:** 1
- No of Tools:** 4
- Hose Kit Included:** Yes
- Hose Diameter:** 50mm

[Hose pictured for illustrative purposes - length of hose varies by system.]



**SCAN TO FIND OUT
MORE ABOUT OUR
FINANCE OPTIONS!**

What's Included: SV50/FK

Each 50mm SpaceVac External system comes with the following items included as standard:



6 x SV50/16-Classic
6 x 50mm x 1.6m
Classic Pole



SV50/08-Classic
1 x 50mm x 0.8m
Classic Half Pole



SV/PB
1 x Padded Pole Bag



SV50/38CT
1 x Crevice tool



SV50/135H
1 x 135 Degree Head



SV50/50ST
1 x 50mm Spike Tool



SV50/38RT
1 x 38mm Round Tool



SV50/38ST
1 x 38mm Spike Tool



SV50/75H
1 x Hose x 7.5m



SV50/HA
1 x 50mm Hose to Pole
Adapter



SV50/50HC
1 x 50mm Vac Inlet
Cuff



SV/HB
1 x Hose Bag

Some of our Clients Include:





The SpaceVac Universal system is a flexible cleaning system designed for use in internal and external settings.

The Universal system features a full 50mm set of cleaning poles and gutter cleaning tools, along with a unique 50-38mm adaptor and a full set of our 38mm internal cleaning heads to take the system inside for removing high-level dust and other materials from height.

The system is a powerful ally to anyone working in the Facilities Management fields working across a diverse range of areas or looking to add multiple new products to their service lines.

**Product Focus:
50mm Universal System**

- No of Poles:** 6.5
- Material:** Carbon Fibre / Glass Fibre Composite
- Carbon Weave:** Unidirectional
- Working Height:** 11.4m
- Length of Enclosed Poles:** 10.4m
- Pole Diameter:** 50mm
- Pole Length:** 1.6m
- No of Heads:** 5
- No of Brushes:** 5
- No of Tools:** 4
- Hose Kit Included:** Yes
- Hose Diameter:** 50mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

 **SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!**

What's Included: SV50/UNI

Each 50mm SpaceVac Universal system comes with the following items included as standard:



6 x SV50/16-Classic
6 x 50mm x 1.6m Classic Pole



SV50/08-Classic
1 x 50mm x 0.8m Classic Half Pole



SV/PB
1 x Padded Pole Bag



SV50/38CT
1 x Crevice tool



SV50/135H
1 x 135 Degree Head



SV50/50ST
1 x 50mm Spike Tool



SV50/38RT
1 x 38mm Round Tool



SV50/38ST
1 x 38mm Spike Tool



SV50/75H
1 x Hose x 7.5m



SV50/HA
1 x 50mm Hose to Pole Adapter



SV50/50HC
1 x 50mm Vac Inlet Cuff



SV/HB
1 x Hose Bag



SV38/120B
1 x 30cm Ducting Brush



SV38/45H
1 x 45 Degree Cleaning Head



SV38/90H
1 x 90 Degree Cleaning Head



SV38/135H
1 x 135 Degree Cleaning Head

Universal System Inventory (cont)



SV38/STR
1 x Straight Cleaning Head



SV38/15SW
1 x 38cm Large Flexi Brush



SV38/FLT
1 x 30cm Flat Surface Tool



SV38/85W
1 x 20cm Small Flexi Brush



SV38/SRB
1 x Small Round Brush



SV50/38PA
1 x 50mm to 38mm Adaptor



SV/MB
1 x Mesh Bag



SV50/SS
Protective silicon sleeve



SV50/BRT
Branch trimming tool

Also Available:

SV50/K-HA
Hose to Karcher barbed inlet

SV50/50RT-CO
50mm composite gutter tool round end



See SpaceVac In Action!
Scan the QR code to check out videos of the SpaceVac range in action on our Youtube channel!

External Accessories:



SV50/15H
15 Degree Aluminium Head



SV50/45H
45 Degree Aluminium Cleaning Head



SV50/90H
90 Degree Aluminium Cleaning Head



SV50/50ST-CO
Composite Gutter Spike Tool



SV50/180H
180 Degree Aluminium Cleaning Head



SV50/BGH
Box Gutter Head



SV50/PMT
Plastic Moss Cleaning Tool



SV50/AMT
Aluminium Moss Cleaning Tool





External Vacuum - SpaceVac Hurricane



SV/Hurricane
3 Motor Standard Vac

The SpaceVac Hurricane is a brand new, custom designed triple motor wet/dry vacuum capable of delivering powerful cleaning performance inside or out.

- Three single phase brush motors double stage by-pass
- Painted filter version with trolley "LIGHT VERSION type" in RAL 9005 black, container and filter chamber in RAL 7001 grey
- Motor-head in ABS/metal black coloured
- Independent switches for each motor
- Vacuum-meter to check the filter efficiency
- 9m Long Electrical Cable
- Star filter in polyester cat. "L" Ø460mm
- Manual filter shaker on top of the head
- Quick product inlet Ø70mm
- Dust bin of 65l with integrated handle and castors
- Rear castors Ø150mm, front castors Ø125mm with brake
- Without accessory basket in front
- With special support for SpaceVac tools

Specifications:

230v Triple Vac Motor

- 3 brush motors, single-phase
- 3300WATT (3,3 kW)
- 230V. 50/60 HZ.
- 225mbar
- 510 m³/h
- 16a CEE industrial plug

120v Triple Vac Motor

- 3 brush motors, single-phase
- 2300 WATT (2,4 kW)
- 120V. 50/60 HZ.
- 200 mbar
- 450 m³/h
- 16a CEE industrial plug

Don't Delay: Book a Free Demo of these new Vacuum units with your local SpaceVac rep!

spacevacinternational.com

A worker in a full protective suit and helmet is shown in an industrial setting, likely performing high-level cleaning. The worker is wearing a grey and yellow protective suit, a clear face shield, and a helmet with a circular vent. The background consists of complex industrial machinery and metal structures.

SPECIALIST CLEANING

Contents:

- Atex Lite 38mm
- Atex Pioneer 38mm
- Atex Pro 38mm
- Atex Ultra 38mm
- Atex Food Safe 38mm
- Atex Pro 50mm
- High-Voltage Cleaning System



Tested and certified to ATEX standards; our Atex LITE Cleaning System is a perfect introductory system for occasional users and operators cleaning at low levels in Atex areas.

Recognising that not all specialist atmospheres have to be huge spaces, the Atex LITE system has been developed for entry level users and teams with occasional cleaning requirements above head height.

In developing a smaller variant of our 38mm cleaning pole, SpaceVacs engineers have created the perfect beginners SpaceVac pole - offering a lightweight package with dependable robust construction to offer peace of mind to operators.

**Product Focus:
38mm Atex Lite**

- No of Poles: 3
- Material: 100% Carbon
- Carbon Weave: Full 4k Carbon Fibre
- Working Height: 4.75m
- Length of Enclosed Poles: 3.75m
- Pole Diameter: 38mm
- Pole Length: 1.25m
- No of Heads: 2
- No of Brushes: 1
- No of Tools: 1
- Hose Kit Included: Yes
- Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA38/EX-LITE

Each 38mm SpaceVac Atex Lite system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



3 x SVA38/125-LITE
3 x 38mm x 1.25m
Conductive Cleaning Poles



SV/LPB
1 x Lite Pole Bag



SVA38/90H
1 x Conductive 90 Degree Cleaning Head



SVA38/45H
1 x Conductive 45 Degree Cleaning Head



SVA38/FLT
1 x Conductive 30cm Flat Surface Tool



SVA38/SRB
1 x Conductive Small Round Brush



SV/MB
1 x Mesh Bag



SVA38/5H
1 x Conductive 5m Hose



SVA38/HA
1 x 38mm Conductive Hose to Pole Adaptor



SVA38/50HC
1 x Conductive 38mm hose to 50mm Vac Inlet Cuff



SV/HB
1 x Hose Bag

Accessories Available:

Be sure to check out the range of conductive tools and brushes you can add to your SpaceVac on

Page 57

Some of our Clients Include:





The Atex Pioneer has been specifically launched to fill a gap in the Atex cleaning line.

Tested and certified to Atex standards; the Atex Pioneer offers operators over 6 metres of reach from the safety of the ground floor, allowing operators to safely remove combustible materials such as wood, flour or paper from above head height.

The system was designed to sit in the SpaceVac range between our entry level **Atex Lite** system and the more advanced heavy duty products elsewhere in the line such as our **Pro** and **Ultra** lines and is all manufactured in fully conductive 100% Carbon Fibre.

**Product Focus:
38mm Atex Pioneer**

- No of Poles: 3.5
- Material: 100% Carbon Fibre
- Carbon Weave: Full 4k Carbon Fibre
- Working Height: 6.6m
- Length of Enclosed Poles: 5.6m
- Pole Diameter: 38mm
- Pole Length: 1.6m
- No of Heads: 3
- No of Brushes: 1
- No of Tools: 2
- Hose Kit Included: Yes
- Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA38/EX-PIONEER

Each 38mm SpaceVac Atex Pioneer system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



3 x SVA38/16-PIONEER
3 x 38mm x 1.6m
Conductive Pioneer Poles



SVA38/08-PIONEER
1 x 38mm x 0.8m
Conductive Pioneer Half Pole



SV/PB
1 x Padded Pole Bag



SVA38/90H
1 x Conductive 90 Degree Cleaning Head



SVA38/135H
1 x Conductive 135 Degree Cleaning Head



SVA38/45H
1 x Conductive 45 Degree Cleaning Head



SVA38/FLT
1 x Conductive 30cm Flat Surface Tool



SVA38/CT
1 x Conductive Crevice Tool



SVA38/SRB
1 x Conductive Small Round Brush



SV/MB
1 x Mesh Bag



SVA38/HA
1 x 38mm Conductive Hose to Pole adaptor



SVA38/5H
1 x Conductive 5m Hose



SVA38/50HC
1 x Conductive 38mm hose to 50mm Vac Inlet Cuff



SV/HB
1 x Hose Bag

COMING SUMMER 2022:

Coming soon; our new ATEX rated EXplorer Camera and Monitoring system for use in specialist combustible environments!



Our 38mm Atex cleaning poles were a world first when they first entered the combustible market in 2016.

Developed in response to a number of deadly incidents involving the use of incorrect cleaning equipment in explosive atmospheres, SpaceVac sought to engineer a system safe for use in these specialised environments.

Manufactured to the highest standards right here in the UK - our Atex poles are made from 100% Carbon Fibre and are tested and certified to Atex standards.

The system is fully accessorised with a range of Atex and anti-static accessories for flexible cleaning options.

Product Focus: 38mm Atex Pro

No of Poles: 5.5
Material: 100% Carbon Fibre
Carbon Weave: Full 4k Carbon Fibre
Working Height: 9.8m
Length of Enclosed Poles: 8.8m
Pole Diameter: 38mm
Pole Length: 1.6m
No of Heads: 4
No of Brushes: 2
No of Tools: 2
Hose Kit Included: Yes
Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX zones 1, 2, 21 and 22

What's Included: SVA38/EX-PRO

Each 38mm SpaceVac Atex Pro system comes with the following items included as standard:
Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



5 x SVA38/16-PRO
5 x 38mm x 1.6m
Cleaning Poles



SVA38/08-PRO
1 x 38mm x 0.8m Pro
Half Pole



SV/PB
1 x Padded Pole Bag



SVA38/90H
1 x Conductive 90
Degree Cleaning Head



SVA38/135H
1 x Conductive 135
Degree Cleaning Head



SVA38/45H
1 x Conductive 45
Degree Cleaning Head



SVA38/STR
1 x Conductive Straight
Cleaning Head



SVA38/FLT
1 x Conductive 30cm
Flat Surface Tool



SVA38/LRB
Conductive Large
Round Brush**



SVA38/4PB
1 x Conductive 10cm
Pipe Brush



SVA38/CT
1 x Conductive Crevice
Tool



SV/MB
1 x Mesh Bag



SVA38/5H
1 x Conductive 5m Hose



SVA38/HA
1 x Conductive 38mm
Hose to Pole adaptor



SVA38/50HC
1 x Conductive 38mm
hose to 50mm Vac
Inlet Cuff



SV/HB
1 x Hose Bag



Our new Atex Ultra cleaning poles are the new standard in high-level cleaning worldwide; utilising cutting edge carbon engineering techniques to create our lightest, most durable pole ever.

Designed to provide a cleaning system with the ability to reach heights up to 15m as standard - with the ability to reach over 20m when extended - the new **Atex Ultra** range provides unrivalled build quality and performance - delivering a pole that is lighter than our pro pole, with increased rigidity and an even stronger carbon weave.

The result of these developments in carbon engineering technology is a pole that can scale heights of over 15m from the safety of the ground floor.

**Product Focus:
38mm Atex Ultra**

- No of Poles: 9.5
- Material: 100% Carbon
- Carbon Weave: Full 12k Carbon Fibre
- Working Height: 16m
- Length of Enclosed Poles: 15m
- Pole Diameter: 38mm
- Pole Length: 1.6m
- No of Heads: 4
- No of Brushes: 2
- No of Tools: 2
- Hose Kit Included: Yes
- Hose Diameter: 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX zones 1, 2, 21 and 22

What's Included: SVA38/EX-ULTRA

Each 38mm SpaceVac Ultra system comes with the following items included as standard:
Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



9 x SVA38/16-ULTRA
9 x 38mm x 1.6m Ultra Cleaning Poles



SVA38/08-ULTRA
1 x 38mm x 0.8m Ultra Half Pole



SV/PB
1 x Padded Pole bag



SVA38/90H
1 x Conductive 90 Degree Cleaning Head



SVA38/45H
1 x Conductive 45 Degree Cleaning Head



SVA38/135H
1 x Conductive 135 Degree Cleaning Head



SVA38/STR
1 x Conductive Straight Cleaning Head



SVA38/FLT
1 x Conductive 30cm Flat Surface Tool



SVA38/LRB
Conductive Large Round Brush**



SVA38/4PB
1 x Conductive 10cm Pipe Brush



SVA38/CT
1 x Conductive Crevice Tool



SV/MB
1 x Mesh Bag



SVA38/10H-ULTRA
1 x 10m Conductive X HD rated Hose



SVA38/HA-ULTRA
1 x Conductive 38mm Hose to Pole Adaptor



SVA38/50HC-ULTRA
1 x Conductive 38mm to 50mm Vac Inlet Cuff



SV/HB
1 x Hose Bag



The manufacture of Food & Drink is one that requires the very highest standards in cleanliness.

The risks of cross-contamination and the integrity of the wider food chain, mean that cleaners and facilities managers have a requirement to easily remove these by-products from within their premises as well as the pests attracted by these products.

By developing a specialist food and drink safe version of our cleaning system - featuring a range of FDA approved cleaning heads - SpaceVac has created a unique solution for cleaning above head height. With materials like dust and flour often dispersing and settling on high level areas, our Food Safe system easily reaches these otherwise inaccessible areas to remove these materials quickly and safely.

**Product Focus:
SpaceVac Food Safe**

- No of Poles:** 5.5
- Material:** 100% Carbon
- Carbon Weave:** 12k Woven Carbon Fibre
- Working Height:** 9.8m
- Length of Enclosed Poles:** 8.8m
- Pole Diameter:** 38mm
- Pole Length:** 1.6m
- No of Heads:** 4
- No of Brushes:** 3
- No of Tools:** 2
- Hose Kit Included:** Yes
- Hose Diameter:** 38mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

*** Please note:**
Tools and Silicon Bands are available in colour options of Blue, Red, Yellow, Green and White

What's Included: SVA38/EX-FOOD

Each 38mm SpaceVac Food Safe system comes with the following items included as standard: and NFPA Certified.



5 x SVA38/16-PRO
5 x 38mm x 1.6m Atex Pro Pole



SVA38/08-PRO
1 x 38mm x 0.8m Atex Pro Half Pole



SV/PB
1 x Padded Pole bag



SVA38/135H
1 x Conductive 135 Degree Head



SVA38/45H
1 x Conductive 45 Degree Head



SVA38/90H
1 x Conductive 90 Degree Head



SVA38/STR
1 x Conductive Straight Cleaning Head



SVA38/FSCONE
1 x Anti Static Nozzle Tool



SVA38/FSGN
1 x Anti Static Gulper Tool



SVA38/FSTB
1 x Anti Static Triangular Brush



SVA38/FSREC
1 x Anti Static Rectangular Brush



SVA38/FSRB
1 x Anti Static Round Brush



SV/MB
1 x Mesh Bag



SVA38/10H-ULTRA
1 x Conductive Hose x 10m



SVA38/HA
1 x Conductive 38mm Hose to pole adaptor



SVA38/50HC
1 x Conductive 38mm Vac Inlet Cuff



SV/HB
1 x Hose bag



SV/SB-*
10 x Silicon Bands



Designed for power users operating in the most extreme of cleaning environments, our 50mm Atex PRO cleaning poles are the next evolution in cleaning.

Developed in response to customer demand from operators who were cleaning in extreme heavy duty environments, our 50mm cleaning poles offer an increased operating diameter to users, to increase airflow when cleaning at height - even when removing heavy duty blockages such as sawdust, wood shavings or metal filings.

Engineered to the highest standards in the UK - our 50mm poles are manufactured to a high grade 100% carbon formula right here in our brand new U.K manufacturing facility - and are all tested and certified to Atex standards.

**Product Focus:
50mm Atex Pro**

















- No of Poles: 6.5
- Material: 100% Carbon
- Carbon Weave: Full 4k Carbon Fibre
- Working Height: 11.4m
- Length of Enclosed Poles: 10.4m
- Pole Diameter: 50mm
- Pole Length: 1.6m
- No of Heads: 4
- No of Brushes: 1
- No of Tools: 3
- Hose Kit Included: Yes
- Hose Diameter: 50mm

[Hose pictured for illustrative purposes - length of hose varies by system.]

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

What's Included: SVA50/EX-PRO

Each 50mm SpaceVac Atex Pro system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.

			
6 x SVA50/16-PRO 6 x 50mm x 1.6m Pro Pole [6]	SVA50/08-PRO 1 x 50mm x 0.8m Pro Half Pole	SV/PB 1 x Padded Pole bag	SVA50/135H 1 x Conductive 135 Degree Aluminium Head
			
SVA50/90H 1 x Conductive 90 Degree Aluminium Cleaning head	SVA50/45H 1 x Conductive 45 Degree Aluminium Cleaning Head	SVA50/15H 1 x Conductive 15 Degree Aluminium Cleaning Head	SVA50/LRB 1 x Conductive Large Round Brush
			
SVA50/FLT400-HD 1 x Conductive 40cm Heavy Duty Flat Surface Tool	SVA50/CN 1 x Conductive Rubber Conical Nozzle	SVA50/GN 1 x Conductive 50mm Gulper Nozzle	SV/MB 1 x Mesh Bag
			
SVA50/10H-ULTRA 1 x 10m Conductive X HD rated Hose	SVA50/50HA 1 x Conductive 50mm Hose to Pole adaptor	SVA50/50HC 1 x Conductive 50mm Vac Inlet Cuff	SV/HB 1 x Hose Bag

38mm Floor Kit:

SVA38/FL-KIT



SVA38/FLT400-HD
1 x Conductive 40cm
Heavy Duty Floor Tool*

SVA38/45H
1 x Conductive 45
Degree Cleaning Head

SVA38/125P-STR
1 x Conductive
Strengthened 1.25m
Carbon pole

SVA38/HA
1 x Conductive
Hose to Pole adaptor

50mm Floor Kit:

SVA50/FL-KIT



SVA50/FLT400-HD
1 x Conductive 400mm
Heavy Duty Floor Tool*

SVA50/45H-MFPA
1 x Conductive 45
Degree
Aluminium Head

SVA50/125P-STR
1 x Conductive
Strengthened 1.25m
Carbon pole

SVA50/HA
1 x Conductive Hose
to Pole
adaptor

Anti-Static Accessories: [*]



SVA38/15SW/SYN
Anti-Static 38cm
Large Flexi-Brush Syn-
thetic Bristle*

SVA38/85W
Anti-Static 20cm Small
Flexi-Brush*

SVA38/15SW
Anti-Static 38cm Large
Flexi Brush - Natural
Bristle*

SVA38/12DB
Anti-Static 30cm Duct
Brush*



SVA38/24DB
Anti-Static 61cm Duct
Brush*

SVA38/48DB
Anti-Static 122cm
Duct Brush*

SVA38/MRB
Anti-Static Medium
Round Brush*

[*] Antistatic - An antistatic tool has a volume resistance <109 ohms, and/or with a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX Zone 22 Dust only.

Conductive Accessories: [**]



SVA38/8PB
Conductive 20cm Pipe
Brush**

SVA38/FLT400-HD
Conductive 40cm
Heavy Duty Floor
Tool**

SVA50/FLT400-HD
Conductive 40cm
Heavy Duty Floor
Tool**

SVA38/ON
Conductive Stainless
Steel Oven Nozzle**



SVA50/SN
Conductive 50mm SS
Spike / Gulper Nozzle**

SVA38/LRB
Conductive Large
Round Brush**

SVA50/38PA
Conductive 50mm-
38mm Adaptor**

[**] Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - ATEX zones 1, 2, 21 and 22

Also Available [Conductive]:

SVA38/ONREP
Scraper/Wheel Repair
Kit For Oven Nozzle

SVA50/CT
Conductive 50mm SS
Crevice Nozzle

SVA38/KNT-HA
Conductive 38mm
Inlet Adapter Karcher
NT Type 22

Atex Vacuum: SpaceVac Titan

The New SpaceVac TITAN is a efficient ATEX certified vacuum cleaner safe for use in the removal of zone 22 dust [group II, category 3D]

This revolutionary new ATEX Vacuum system offers a fully conductive single motor solution, designed to provide powerful suction for use with our Conductive ATEX cleaning systems.

- Single phase motor asynchronous marked ATEX EX II 3D
- Trolley in RAL 9005 black, container in stainless steel and filter chamber in RAL 9003 white
- Vacuum-meter to check the filter efficiency
- Electric cable 10m long with industrial plug 2P+earth 16A IP67 marked ATEX
- Star filter in polyester cat. "L" antistatic
- Manual filter shaker on side
- Quick inlet Ø70mm
- Relief valve put in as standard
- Dust bin of 25l provided with handle and castors
- Rear castors Ø125mm, front castors Ø100mm with brake, antistatic
- With special support for SpaceVac tools

Specifications:

Titan 230v / 1.5kW

- 1,5 kW turbine, single phase 230V. 50/60 HZ.
- 200 mbar
- 200 m³/h
- 16a CEE industrial plug- UK patch lead added for 13 amp use

Titan 230v / 2.2kW

- 2,2 kW turbine, single phase 230V. 50/60 HZ.
- 170mbar
- 405 m³/h
- 16a CEE industrial plug- UK patch lead added for 13 amp use

Titan 110v / 1.5kW

- 1,5 kW turbine, single phase 110V. 50/60 HZ.
- 200 mbar
- 200 m³/h
- 16a CEE Industrial plug

Titan 110v / 2.2kW

- 2,2 kW turbine, single phase 110V. 50/60 HZ.
- 170mbar
- 405 m³/h
- 32a CEE Industrial plug





What's Included: SV50/HV

Each 50mm SpaceVac High Voltage system comes with the following items included as standard:



6 x SV50/14-HV
6 x 1.4m" x Non
Conductive 50mm High
Voltage Poles



SV/PB
1 x Padded Pole bag



SV38/90H
1 x 90 Degree
Cleaning Head



SV38/135H
1 x 135 Degree Cleaning
Head



SV38/STR
1 x Straight Cleaning
Head



SV38/45H
1 x 45 Degree Cleaning
Head



SV38/8SW
1 x 20cm Small Flexi
Brush



SV38/15SW
1 x 38cm Large Flexi
Brush



SV38/FLT
1 x Flat Surface
Tool



SV38/12DB
1 x 30cm Ducting Brush



SV38/SRB
1 x Small Round
Brush



SV50/HVPA
1 x 50mm to 38mm
Adaptor



SV/MB
1 x Mesh Bag



SV50/75H
1 x Hose 7.5m



SV50/HVHA
1 x Hose to Pole
adaptor



SV50/50HC
1 x 50mm Vac
Inlet Cuff



SV/HB
1 x Hose Bag

Our unique High-Voltage safe range of cleaning poles and tools have been specifically designed for use in extreme high-voltage areas where use of a regular SpaceVac would be prohibited.

Designed and manufactured here in the UK and tested and developed in collaboration with the University of Manchester, this new generation of SpaceVac poles and tools have been tested and independently certified as being capable of withstanding voltages up to 50,000v to enable operators to take our revolutionary high-level cleaning systems and put them to work in areas such as trackside, underground or working near overhead powerlines.

Product Focus: SpaceVac High Voltage

- No of Poles: 6
- Material: Non Conductive Glass Fibre
- Working Height: 9.4m
- Length of Enclosed Poles: 8.4m
- Pole Diameter: 50mm
- Pole Length: 1.4m
- No of Heads: 4
- No of Brushes: 5
- Hose Kit Included: Yes
- Hose Diameter: 50mm

[Hose pictured for illustrative purposes - length of hose varies by system.]



See SpaceVac In Action!

Scan the QR code to check out videos of the SpaceVac range in action on our Youtube channel!





Find Out More:

[SpaceVac International](#)

Unit 3, JBJ Business Park, Northampton Road,
Blisworth, Northamptonshire, NN7 3DW

T: 01604 968668

W: spacevacinternational.com

E: sales@spacevacinternational.com